

MATERIAL SAFETY DATA SHEET

OSHA MEETS 29 CFR 1910.1200 STANDARDS

HMIS HAZARD RATINGS



HEALTH	0	0 = INSIGNIFICANT	3 = HIGH
FLAMMABILITY	0	1 = SLIGHT	4 = EXTREME
REACTIVITY	0	2 = MODERATE	

TRANSPORTATION INFORMATION

PROPER SHIPPING NAME : Not regulated
 HAZARD CLASS / PKG GRP : None / None REF: Not applicable
 IDENTIFICATION NUMBER : None LABEL: NONE REQUIRED

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION

IDENTITY (AS USED ON LABEL AND LIST)
PRESOAK

Page 1 of 2

MANUFACTURER'S NAME
Vista Serv Corporation

EMERGENCY TELEPHONE NUMBER
 CHEM • TEL (800) 255-3924

ADDRESS (NUMBER, STREET, P.O. BOX)
 6093 Clark Center Avenue
 (CITY, STATE AND ZIP CODE)
 Sarasota, Florida 34238-2718

TELEPHONE NUMBER FOR INFORMATION
 (941) 925-9277
 DATE PREPARED: December 5, 1995
 SUPERCEDES: New

SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	CAS#	% (OPTIONAL)	ACGIH TWA PPM	ACGIH STEL MG/M ³	SARA TITLE III	RQ LBS
Sodium phosphate, tribasic (STPP) (a)	7758-29-4					5000

a) Indicates the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ this product > 20,000 lbs) or greater amounts, according to 40 CFR 302.

SECTION 3 - HEALTH HAZARD DATA

ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: Breathing concentrated vapors may cause slight irritation of respiratory tract.	Remove victim to fresh air, if symptoms persist, seek medical attention.
SKIN: Prolonged contact may cause slight irritation	Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.
EYES: Contact with eyes will cause irritation.	Flush eyes with water for 15 minutes; if irritation persists, seek medical attention
INGESTION: May cause gastric distress, vomiting and diarrhea.	Give two glasses of water for dilution; DO NOT induce vomiting; seek medical attention.

HEALTH HAZARDS (ACUTE AND CHRONIC): Acute effects are possible irritation and discomfort; no known chronic effects have been established.

CARCINOGENICITY: NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin, eye, or respiratory disorders may become aggravated through prolonged exposure.

MATERIAL SAFETY DATA SHEET	
IDENTITY (AS USED ON LABEL AND LIST) <i>PRESOAK</i>	Page 2 of 2 Date: December 5, 1995
SECTION 4 – FIRE FIGHTING MEASURES	
FLASH POINT (METHOD USED) Non-flammable	FLAMMABLE LIMITS LEL: UEL: Not applicable Not applicable
EXTINGUISHING MEDIA CO ₂ ; water; water fog; dry chemical; chemical foam	
SPECIAL FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released	
UNUSUAL FIRE AND EXPLOSION HAZARDS None	
SECTION 5 – ACCIDENTAL RELEASE MEASURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills – wash to sanitary sewer with plenty of water. Large spills – confine spill, soak up with approved absorbant, shovel product into approved container for disposal. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424-8802; refer to CERCLA 40 CFR 302 for complete regulations concerning reporting requirements.	
SECTION 6 – HANDLING AND STORAGE	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children; minimize body contact with this product as well as all chemicals in general	
SECTION 7 – EXPOSURE CONTROLS / PERSONAL PROTECTION	
RESPIRATORY PROTECTION (SPECIFY TYPE): None required; if misting occurs, NIOSH approved respirator capable of removing particulate from air must be worn.	
VENTILATION LOCAL EXHAUST: Not necessary MECHANICAL (GENERAL): Yes	SPECIAL: None OTHER: None
PROTECTIVE GLOVES: Neoprene or rubber	EYE PROTECTION: Safety Goggles
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyebath nearby	
WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.	
SECTION 8 – PHYSICAL / CHEMICAL PROPERTIES	
BOILING POINT 212 ° F	SPECIFIC GRAVITY (WATER = 1) 1.060
VAPOR PRESSURE (MM HG) 17 mm @ 20° C	pH 9.6
VAPOR DENSITY (AIR = 1) < 1	EVAPORATION RATE (n-BUTYL ACETATE = 1) < 1
SOLUBILITY IN WATER Complete	% VOLATILE (BY WT) 93 %
APPEARANCE AND ODOR Clear green liquid, characteristic odor.	
SECTION 9 – STABILITY AND REACTIVITY	
STABILITY UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID: Extreme temperatures
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Thermal decomposition may yield CO; CO ₂	
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX	CONDITIONS TO AVOID: None
SECTION 10 – DISPOSAL CONSIDERATIONS	
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Products classified as <i>non-hazardous</i> may become <i>hazardous waste</i> upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260–299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.	
The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.	

Form revised 09 / 95