

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: Detergent 3000 Product code(s): Detergent 3000 Synonym(s): Alkaline cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Low temperature dishmachine detergent
Uses advised against: For industrial and institutional use only

1.3 Details of the supplier and of the safety data sheet

Manufacturer/Supplier

VistaServ, Inc. 1509 Edgar Place Sarasota, FL 34240 USA +1-941-925-9277

1.4 Emergency telephone number

24-Hour Emergency: ChemTel, Inc. - (800) 255-3924; +1-813-248-0585

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture

Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008

Acute Toxicity, Oral - Category 4 [H302] Skin Corrosion - Category 1C [H314]

2.2 Label elements

Hazard symbol(s):





GHS05

Signal word: Danger

Hazard statement(s): H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

Precautionary statements

[Prevention] P260 - Do not breathe mist or vapor.

P264 - Wash hands and other exposed skin areas thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing and eye protection.

[Response] P301 + P330 + P331 + P310 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Immediately call a POISON

CENTER or doctor.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or

shower

P304 + P340 + P310 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor.

P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P321 - Specific treatment: Immediately contact a POISON CENTER or doctor. Refer to Section 4 of this SDS.

P363 - Wash contaminated clothing before reuse.

[Storage] P405 - Store locked up.

[Disposal] P501 - Dispose of contents and containers in accordance with national and local regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May cause drying and cracking for the skin.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
10 - 20	Potassium Hydroxide	1310-58-3	215-181-3	019-002-00-8	H302, H314

Effective Date: 29 December 2022

0.5 - 6 Silicic Acid, Disodium Salt 1344-09-8 215-687-4 ----------- H315, H318

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: If product mist or spray causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If irritation persists or if the victim feels unwell, seek medical attention.

Eyes: Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing before reuse. Discard contaminated shoes. Get immediate medical attention for chemical burns. If irritation persists or if the victim feels unwell, seek medical attention.

Ingestion: Rinse mouth with water if the victim is conscious. Remove dentures if present. DO NOT induce vomiting unless directed to do so by medical personnel. Vomiting may occur spontaneously. To prevent aspiration of material into the lungs, lay the victim on one side with the head lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Potential health symptoms and effects

Eyes: Causes severe eye irritation and serious eye damage. Symptoms include redness, swelling, tearing, pain, burns and blurred vision. May cause ulceration of the conjunctiva and cornea. This material is extremely destructive to the eyes, mucous membranes and surrounding tissue. Risk of blindness! Mist or spray may cause eye irritation. Effects may be delayed.

Skin: Causes severe skin irritation and chemical burns. Symptoms may include localized inflammation, itching and pain. Prolonged contact with unprotected skin may cause drying and cracking of the skin and/or dermatitis. Prolonged contact with unprotected skin may cause chemical burns and skin damage.

Inhalation: Harmful if inhaled. Inhalation of mist or spray may cause irritation of the respiratory system with runny nose, sore throat, cough, headache and breathing difficulty. This material is extremely destructive to the mucous membranes of the upper respiratory system. Irritation may lead to chemical pneumonitis and pulmonary edema. Aspiration of material may lead to pulmonary edema.

Ingestion: Harmful if swallowed. Causes burns to the lips, mouth, throat and gastrointestinal tract. Causes severe pain, nausea, vomiting, diarrhea, shock and possible death. May cause perforation of and permanent damage to the digestive tract. May cause circulatory system failure.

Chronic: Prolonged or repeated skin contact may cause drying and cracking of the skin, dermatitis or aggravate existing skin conditions. Chronic eye contact or exposure to mist or spray may cause conjunctivitis and eye damage. Effects may be delayed.

4.3 Indication of any immediate medical attention and special treatment needed

Advice to doctor and hospital personnel

Treat symptomatically and supportively. May cause serious burns to all body surfaces contacted. Treat as for strong alkalis. Effects may be delayed.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable methods of extinction: Use extinguishing media suitable for the surrounding fire.

Unsuitable methods of extinction: No limitations of extinguishing agents are given for this material.

5.2 Special hazards arising from the substance or mixture

Closed containers may rupture due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

Explosion hazards: This product is not considered an explosion hazard.

5.3 Advice to firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. Water contaminated by this material must be contained from being discharged to any waterway, sewer or drain to prevent environmental contamination.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2. Ventilate the area. Remove all sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.

Effective Date: 29 December 2022

6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

6.3 Methods and materials for containment and cleaning up

Approach spill from upwind direction. DO NOT flush large spills down the drain. Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

For indications about waste treatment, see Section 13.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. Do not inhale mist or spray. NO SMOKING. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing thoroughly before reuse. Discard contaminated shoes.

Advice on protection against fire and explosion

This product is not considered to be a fire or explosion hazard.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away from incompatible materials (see Section 10.5), food and drink. Keep away from acids. Do not store in metal containers. Keep from freezing. Transfer only to approved containers having correct labeling. Keep containers tightly closed when not in use. Protect containers against physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers are hazardous when empty as they contain product residue. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Keep locked up and out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values

CAS Number	Ingredient	OSHA PEL	ACGIH TLV	NIOSH
1310-58-3	Potassium hydroxide		2 mg/m ³ TWA, ceiling	2 mg/m³ TWA

8.2 Exposure controls

Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

Eye/face protection: Wear safety glasses with unperforated side shields or chemical splash goggles during use.

Hand protection: Wear gloves recommenced by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Skin protection: Wear protective clothing. Wear protective boots if the situation requires.

Respiratory protection: Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Environmental exposure controls: Do not empty into drains.

PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.







Effective Date: 29 December 2022

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Clear, red liquid
Odor Characteristic
Odor Threshold No data available
Molecular Weight Not applicable
Chemical Formula Not applicable

pH 13.6

Freezing/Melting Point < 0 °C (< 32 °F) [estimated]

Boiling Point, Initial 100 °C (212 °F) **Evaporation Rate** No data available Flammability (solid, gas) Not applicable **Flash Point** No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available Lower Explosive Limit (LEL) No data available **Upper Explosive Limit (UEL)** No data available Vapor Pressure No data available **Vapor Density** No data available

Density 1.07 - 1.27 g/ml (8.95 - 10.62 lb/gal) [calculated]

Viscosity

Solubility in Water

Partition Coefficient (n-octanol/water)

Oxidizing Properties

Explosive Properties

Volatiles by Weight @ 21 °C

No data available

Complete

Not applicable

Not applicable

81.8 - 85.8%

9.2 Other Data

No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

This material is stable under recommended conditions of handling and use.

10.2 Chemical Stability

This material is stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Violent reactions may occur in contact with acids. Hazardous polymerization will not occur.

10.4 Conditions to avoid

Temperature extremes, contact with incompatible materials

10.5 Incompatible materials

Strong oxidizing agents, acids, bases, reducing agents

10.6 Hazardous decomposition products

Thermal decomposition products may include oxides of sodium and oxides of potassium.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

LD₅₀, rat: 2,369 mg/kg [calculated]

Acute inhalation toxicity

No data available

Acute dermal toxicity

No data available

Skin irritation

Causes skin burns and severe skin irritation.

Eye irritation

Causes severe eye irritation and serious eye damage. Risk of blindness!

Sensitization

No data available

Effective Date: 29 December 2022

Carcinogenicity

No data available

Germ cell mutagenicity

No data available

Reproductive toxicity

No data available

Specific organ toxicity - single exposure

May cause respiratory irritation.

Specific organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Further information

This product contains no substances present at levels greater than or equal to the 0.1% threshold (de minimis) that are identified as probable, possible, potential or confirmed carcinogens by ACGIH, IARC, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

Large spills or frequent discharges of this material may increase the pH of aquatic systems to a value > 12, which may be fatal to aquatic life and soil micro-organisms.

12.2 Persistence and degradability

Inorganic substances are not biodegradable. Methods for the determination of biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulation potential

This material will not bioaccumulate.

12.4 Mobility in soil

This material has high mobility in soil.

12.5 Results of PBT and vPvB assessment

The persistent, bioaccumulative or toxic (PBT) or very persistent and very bioaccumulative (vPvB) assessment does not apply to inorganic substances.

12.6 Other effects

Additional ecological information

Do not allow material to enter surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Disposal of surplus and non-recyclable products should always comply with the requirements of environmental protection and in accordance with federal, state and local waste disposal regulations. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA F-Series: No listings above the reportable threshold (de minimis) RCRA U-Series: No listings above the reportable threshold (de minimis)

SECTION 14 - TRANSPORT INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

Limited quantity for corrosive liquids Packing Group II when inner packagings are not over 1.0 liter (0.3 gallon) net capacity each, packed in a strong outer packaging.

USA DOT (Ground Transportation) - Bulk and Non-bulk

Proper Shipping Name Caustic alkali liquid, n.o.s. (potassium hydroxide)

 Hazard Class
 8

 UN
 UN1719

 Packing Group
 II

 NAERG
 Guide #154

Effective Date: 29 December 2022

Packaging Authorization Non-Bulk: 49 CFR 173.202; Bulk: 173.242

Packaging Exceptions 49 CFR 173.154

IMO/IMDG (Water Transportation)

Proper Shipping Name Caustic alkali liquid, n.o.s. (potassium hydroxide)

 Hazard Class
 8

 UN
 UN1719

 Packing Group
 II

 Marine Pollutant
 No

 EMS Number
 F-A, S-B

ICAO/IATA (Air Transportation)

Proper Shipping Name Caustic alkali liquid, n.o.s. (potassium hydroxide)

 Hazard Class
 8

 UN
 UN1719

 Packing Group
 II

Quantity Limitations 49 CFR 175.27 and 175.75 - Cargo Aircraft Only: 30 l; Passenger Aircraft: 1 l

RID/ADR (Rail Transportation)

Proper Shipping Name Caustic alkali liquid, n.o.s. (potassium hydroxide)

Hazard Class 8

UN UN1719 Packing Group II

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

OSHA Process Safety Management Standard: This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

EPA Risk Management Planning Standard: This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

EPA Federal Insecticide, Fungicide and Rodenticide Act: This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

Toxic Substance Control Act (TSCA) Inventory: All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number: No listings

Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number: No listings

Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals: No listings

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: Harmful if swallowed Causes severe skin burns and eye damage

SARA 313 Information: None of the components of this product are subject to the reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: None of the components of this product are subject to the reporting levels established by these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: None of the components of this product are subject to the reporting levels established by these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): This product contains the following CERCLA reportable substance: Potassium hydroxide (CAS #1310-58-3): RQ = 453.6 kg (1,000 lb)

Clean Air Act (CAA)

This product does not contain any Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain Class 1 ozone depletors. This product does not contain Class 2 ozone depletors.

Clean Water Act (CWA)

Potassium Hydroxide (CAS #1310-58-3) is a Hazardous Substance listed under the CWA.

This product does not contain Priority Pollutants.

This product does not contain Toxic pollutants.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains no chemical(s) known to the state of California to cause cancer birth defects or reproductive harm in concentrations that exceed the threshold (de minimis) reporting levels established under Proposition 65.


Other U.S. State Inventories

Potassium Hydroxide (CAS #1310-58-3) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: CA, DE, ID, MA, NJ, NY, PA, RI, WA, WI.

Effective Date: 29 December 2022

Page 6 of 8

Placard(s)



Canada

WHMIS Hazard Classification: Harmful if swallowed Causes severe skin burns and eye damage

Canadian National Pollutant Release Inventory (NPRI): Potassium Hydroxide (CAS #1310-58-3) is listed on the NPRI.

European Economic Community

WGK, Germany (Water danger/protection): 1 (slightly hazardous to water)

Global Chemical Inventory Lists

Country	ountry Inventory Name	
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
Europe	Inventory of New and Existing Chemicals (EINECS)	Yes
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	Yes
China	Inventory of Existing Chemical Substances in China	Yes
Japan	apan Inventory of Existing and New Chemical Substances	
Korea Existing Chemicals List (KECI)		Yes
Philippines Philippines Inventory of Chemicals and Chemical		Yes

^{*}Yes - All components of this product comply with the inventory requirements administered by the governing country.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS)



B = Safety glasses, gloves & apron

HMIS Hazard Rating Legend

0 = Minimal 1 = Slight 2 = Moderate

3 = Serious 4 = Severe


* = Chronic Health Hazard

NFPA Hazard Rating Legend

0 = Insignificant 1 = Slight 2 = Moderate

3 = High 4 = Extreme

National Fire Protection Association (NFPA)



Full Text of GHS Hazard Phrases Referenced in Section 3 (not covered in Section 2)

H315 - Causes skin irritation

H318 - Causes serious eye damage

Abbreviation Key

ACGIH ADR	American Conference of Governmental Industrial Hygienists Accord Dangereux Routier (European regulations concerning	LD _{Lo} mppcf	Lowest Lethal Dose Millions of Particles Per Cubic Foot
CAS	the international transport of dangerous goods by road) Chemical Abstract Services	NA	North America
CFR	Code of Federal Regulations	NAERG	North American Emergency Response Guide Book
COC	Cleveland Open Cup	NIOSH	National Institute for Occupational Safety & Health
DOT	Department of Transportation	NTP	National Toxicology Program
EC ₅₀	Half maximal effective concentration	OSHA	Occupational Safety and Health Administration
EMS	Emergency Response Procedures for Ships Carrying	PBT	Persistent, Bioaccumulating and Toxic
EPA	Environmental Protection Agency	PEL	Permissible exposure limit
ErC ₅₀	Reduction of Growth Rate	PMCC	Pensky-Martens Closed Cup
ERG	Emergency Response Guide Book	ppm	Parts Per Million
FDA	Food and Drug Administration	RCRA	Resource Conservation and Recovery Act
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)	RID	Dangerous Goods by Rail
HCS	Hazard Communication Standard	RQ	Reportable Quantity
IARC	International Agency for Research on Cancer	TCC/Tag	Tagliabue Closed Cup
IATA	International Air Transport Association	TLV	Threshold Limit Value
IC ₅₀	Half Maximal Inhibitory Concentration	TSCA	Toxic Substance Control Act
ICAO	International Civil Aviation Organization	TWA	Time-weighted Average
IDLH	Immediately Dangerous to Life and Health	UN	United Nations
IMDG	International Maritime Dangerous Goods	VOC	Volatile Organic Compounds
IMO	International Maritime Organization	vPvB	Very Persistent and Very Bioaccumulating
LC ₅₀	50% Lethal Concentration	WHMIS	Workplace Hazardous Materials Information System
LD_{50}	50% Lethal Dose		

Effective Date: 29 December 2022

No - One or more components of this product are not on the inventory or are exempt from listing.

DISCLAIMER OF RESPONSIBILITY

The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. VistaServ Inc. assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to comply with all Federal, State and local laws and regulations regarding use of this product. Vendees or users assume all risks associated with the use of this material.

Revision date: 29 December 2022, Version 4 Supersedes SDS: 27 November 2018, Version 3

<end of document>

Effective Date: 29 December 2022